

Symbolische Links unter SINIX V5.22 N10 MX500

=====

/:

```
lrwxrwxrwt 1 root          4 May 11 07:40 bin ->
    ucb=.bin att=/usr/att/bin sie=/usr/sie_root/bin
lrwxrwxrwt 1 root          4 May 11 07:40 lib ->
    ucb=.lib att=/usr/att/lib sie=/usr/sie_root/lib
lrwxrwxrwx 1 root          8 May 11 08:28 sys -> /usr/sys
lrwxrwxrwt 1 root          4 May 11 07:22 tmp ->
    ucb=.tmp att=usr/rtmp sie=usr/rtmp
lrwxrwxrwx 1 root          5 May 10 07:36 vmunix -> dynix
```

/.att:

```
lrwxrwxrwx 1 root          9 May 10 07:36 awk -> /.bin/awk
lrwxrwxrwx 1 root          8 May 10 07:36 ps -> /.bin/ps
lrwxrwxrwt 1 root          9 May 10 07:36 tar ->
    ucb=/.bin/tar att=/usr/att/usr/bin/otar sie=/.bin/tar
```

/.bin:

```
lrwxrwxrwx 1 root          15 May 11 08:28 ar -> /usr/att/bin/ar
lrwxrwxrwx 1 root          15 May 11 08:28 as -> /usr/att/bin/as
lrwxrwxrwt 1 root          4 May 10 08:05 bin ->
    ucb=.bin att=/usr/att/bin sie=/usr/sie_root/bin
lrwxrwxrwx 1 root          15 May 11 08:28 cc -> /usr/att/bin/cc
lrwxrwxrwx 1 root          15 May 11 08:28 ld -> /usr/att/bin/ld
lrwxrwxrwx 1 root          15 May 11 08:28 nm -> /usr/att/bin/nm
lrwxrwxrwx 1 root          18 May 11 08:28 strip -> /usr/att/bin/strip
```

/.lib:

```
lrwxrwxrwx 1 root          15 May 11 08:28 c0 -> /usr/att/lib/c0
lrwxrwxrwx 1 root          15 May 11 08:28 c1 -> /usr/att/lib/c1
lrwxrwxrwx 1 root          16 May 11 08:28 c2n -> /usr/att/lib/c2n
lrwxrwxrwx 1 root          20 May 11 08:28 c2nconv ->
    /usr/att/lib/c2nconv
lrwxrwxrwx 1 root          15 May 11 08:28 c3 -> /usr/att/lib/c3
lrwxrwxrwx 1 root          16 May 11 08:28 c3n -> /usr/att/lib/c3n
lrwxrwxrwx 1 root          18 May 11 08:28 cesok -> /usr/att/lib/cesok
lrwxrwxrwx 1 root          16 May 11 08:28 cpp -> /usr/att/lib/cpp
lrwxrwxrwx 1 root          19 May 11 08:28 crt0.o ->
    /usr/att/lib/crt0.o
lrwxrwxrwt 1 root          4 May 10 08:05 lib ->
    ucb=.lib att=/usr/att/lib sie=/usr/sie_root/lib
lrwxrwxrwx 1 root          19 May 11 08:28 libc.a ->
    /usr/att/lib/libc.a
lrwxrwxrwx 1 root          19 May 11 08:28 libl.a ->
    /usr/att/lib/libl.a
lrwxrwxrwx 1 root          19 May 11 08:28 libm.a ->
    /usr/att/lib/libm.a
lrwxrwxrwx 1 root          19 May 11 08:28 liby.a ->
    /usr/att/lib/liby.a
lrwxrwxrwx 1 root          20 May 11 08:28 mcrt0.o ->
    /usr/att/lib/mcrt0.o
lrwxrwxrwx 1 root          17 May 11 08:28 peep -> /usr/att/lib/peep
```

```

lrwxrwxrwx  1 root                17 May 11 08:28 ucpp -> /usr/att/lib/ucpp

/dev:
lrwxrwxrwx  1 root                4 May 10 07:34 crts -> rts0
lrwxrwxrwx  1 root                4 May 10 07:34 exa -> exa0
lrwxrwxrwx  1 root                4 May 10 07:34 nexa -> exa8
lrwxrwxrwx  1 root                4 May 10 07:34 nrts -> rts8
lrwxrwxrwx  1 root                4 May 10 07:34 orts -> rts0
lrwxrwxrwx  1 root                4 May 10 07:34 rts -> rts0

/etc:
lrwxrwxrwx  1 root                11 May 10 08:05 VP -> /usr/etc/VP
lrwxrwxrwx  1 root                19 May 11 07:59 chroot ->
    /usr/att/etc/chroot
lrwxrwxrwt  1 root                16 May 11 07:40 install ->
    ucb=/usr/bin/install att=/usr/att/etc/install sie=/usr/.bin/install
lrwxrwxrwx  1 root                18 May 11 07:59 magic ->
    /usr/att/etc/magic
lrwxrwxrwt  1 root                11 May 10 08:05 mknod ->
    ucb=/etc/.mknod att=/usr/att/etc/mknod sie=/etc/.mknod
lrwxrwxrwx  1 root                20 May 11 07:59 profile ->
    /usr/att/etc/profile
lrwxrwxrwx  1 root                20 May 11 07:59 rc.sys5 ->
    /usr/att/etc/rc.sys5
lrwxrwxrwt  1 root                10 May 10 07:36 utmp ->
    ucb=/etc/.utmp att=/etc/.utmp sie=/etc/.sie_utm
lrwxrwxrwx  1 root                13 May 10 07:29 yp -> ../usr/etc/yp

/usr:
lrwxrwxrwt  1 root                4 May 11 07:40 bin ->
    ucb=.bin att=/usr/att/usr/bin sie=/usr/sie_root/usr/bin
lrwxrwxrwt  1 root                8 May 11 07:40 include ->
    ucb=.include att=/usr/att/usr/include sie=/usr/sie_root/usr/include
lrwxrwxrwt  1 root                4 May 11 07:40 lib ->
    ucb=.lib att=/usr/att/usr/lib sie=/usr/sie_root/usr/lib
lrwxrwxrwx  1 root                16 May 11 07:59 mail ->
    /usr/.spool/mail
lrwxrwxrwx  1 root                17 May 11 07:59 news -> /usr/att/usr/news
lrwxrwxrwt  1 root                6 May 11 07:40 spool ->
    ucb=.spool att=/usr/att/usr/spool sie=/usr/sie_root/usr/spool
lrwxrwxrwt  1 root                4 May 11 07:40 tmp ->
    ucb=.tmp att=/usr/att/usr/tmp sie=/usr/sie_root/usr/tmp

/usr/.bin:
lrwxrwxrwx  1 root                20 May 11 08:28 lex -> /usr/att/usr/bin/lex
lrwxrwxrwx  1 root                23 May 11 08:28 lorder ->
    /usr/att/usr/bin/lorder
lrwxrwxrwx  1 root                23 May 11 08:28 ranlib ->
    /usr/att/usr/bin/ranlib
lrwxrwxrwx  1 root                22 May 11 08:28 tsort ->
    /usr/att/usr/bin/tsort
lrwxrwxrwx  1 root                21 May 11 08:28 yacc ->
    /usr/att/usr/bin/yacc

```

/usr/.include:

lrwxrwxrwx	1	root	11	May	11	08:22	errno.h	->	sys/errno.h
lrwxrwxrwx	1	root	11	May	11	08:23	fcntl.h	->	sys/fcntl.h
lrwxrwxrwx	1	root	14	May	11	08:22	machine	->	../sys/machine
lrwxrwxrwx	1	root	11	May	11	08:22	mbad	->	../sys/mbad
lrwxrwxrwx	1	root	10	May	11	08:22	net	->	../sys/net
lrwxrwxrwx	1	root	12	May	11	08:22	netat	->	../sys/netat
lrwxrwxrwx	1	root	12	May	11	08:22	netif	->	../sys/netif
lrwxrwxrwx	1	root	14	May	11	08:22	netinet	->	../sys/inet
lrwxrwxrwx	1	root	10	May	11	08:22	nfs	->	../sys/nfs
lrwxrwxrwx	1	root	10	May	11	08:22	sec	->	../sys/sec
lrwxrwxrwx	1	root	12	May	11	08:23	signal.h	->	sys/signal.h
lrwxrwxrwx	1	root	12	May	11	08:22	stand	->	../sys/stand
lrwxrwxrwx	1	root	8	May	11	08:22	sys	->	../sys/h
lrwxrwxrwx	1	root	13	May	11	08:23	syscall.h	->	sys/syscall.h
lrwxrwxrwx	1	root	10	May	11	08:22	ufs	->	../sys/ufs
lrwxrwxrwx	1	root	9	May	11	08:22	vp	->	../sys/vp

/usr/.lib:

lrwxrwxrwx	1	root	18	May	11	07:35	virsendmail	->	
							/usr/.lib/sendmail		
lrwxrwxrwx	1	root	15	May	11	07:35	w2006	->	/usr/dict/words

/usr/.spool/mail:

lrwxrwxrwx	1	root	4	May	11	07:40	admin	->	root
------------	---	------	---	-----	----	-------	-------	----	------

/usr/att/bin:

lrwxrwxrwx	1	root	9	May	11	07:59	att	->	/.bin/att
lrwxrwxrwx	1	root	9	May	11	07:59	ced	->	/.bin/ced
lrwxrwxrwx	1	root	9	May	11	07:59	csh	->	/.bin/csh
lrwxrwxrwx	1	root	8	May	11	07:59	df	->	/.bin/df
lrwxrwxrwx	1	root	11	May	11	07:59	login	->	/.bin/login
lrwxrwxrwx	1	root	9	May	11	07:59	lpr	->	/.bin/lpr
lrwxrwxrwx	1	root	8	May	11	07:59	mt	->	/.bin/mt
lrwxrwxrwx	1	root	12	May	11	07:59	passwd	->	/.bin/passwd
lrwxrwxrwx	1	root	9	May	11	07:59	sie	->	/.bin/sie
lrwxrwxrwx	1	root	10	May	11	08:21	size	->	/.bin/size
lrwxrwxrwx	1	root	8	May	11	07:59	su	->	/.bin/su
lrwxrwxrwx	1	root	9	May	11	07:59	ucb	->	/.bin/ucb
lrwxrwxrwx	1	root	14	May	11	07:59	universe	->	/.bin/universe
lrwxrwxrwx	1	root	9	May	11	07:59	who	->	/.bin/who
lrwxrwxrwx	1	root	11	May	11	07:59	write	->	/.bin/write
lrwxrwxrwx	1	root	11	May	11	07:59	xopen	->	/.bin/xopen

/usr/att/usr/bin:

lrwxrwxrwx	1	root	16	May	11	07:59	cancel	->	/usr/.bin/cancel
lrwxrwxrwx	1	root	9	May	11	07:59	ced	->	/.bin/ced
lrwxrwxrwx	1	root	14	May	11	07:59	ctags	->	/usr/ucb/ctags
lrwxrwxrwx	1	root	9	May	11	07:59	ftar	->	/.bin/tar
lrwxrwxrwx	1	root	12	May	11	07:59	lp	->	/usr/.bin/lp
lrwxrwxrwx	1	root	16	May	11	07:59	lpstat	->	/usr/.bin/lpstat

```

lrwxrwxrwx 1 root          12 May 11 07:59 rsh -> /usr/ucb/rsh
lrwxrwxrwx 1 root          9 May 11 07:59 star -> /.bin/tar

/usr/att/usr/lib:
lrwxrwxrwx 1 root          13 May 11 07:59 ced -> /usr/.lib/ced
lrwxrwxrwx 1 root          13 May 11 07:59 nls -> /usr/.lib/nls
lrwxrwxrwx 1 root          16 May 11 07:59 tabset -> /usr/.lib/tabset

/usr/att/usr/lib/col/PIF/En:
lrwxrwxrwx 1 root          14 May 11 08:06 PROGRAMS -> ../De/PROGRAMS

/usr/att/usr/spool:
lrwxrwxrwx 1 root          16 May 11 07:59 mail -> /usr/.spool/mail
lrwxrwxrwx 1 root          19 May 11 07:59 spooler ->
    /usr/.spool/spooler

/usr/etc/VP:
lrwxrwxrwx 1 root          11 May 11 07:40 VP -> /usr/etc/VP

/usr/sys:
lrwxrwxrwx 1 root          7 May 11 08:27 balance -> machine
lrwxrwxrwx 1 root          5 May 11 08:25 machine -> MX500

/usr/ucb:
lrwxrwxrwx 1 root          18 May 11 07:38 mailq -> /usr/.lib/sendmail
lrwxrwxrwx 1 root          18 May 11 07:38 newaliases ->
    /usr/.lib/sendmail

```